

Riferimenti bibliografici

- H. D. I. Abarbanel, R. Brown, J. J. Sidorowich and L. S. Tsimring, (1993). *The Analysis of Observed Chaotic Data in Physical Systems*. Rev. Mod. Phys., **65**, 4, 1331.
- H. D. I. Abarbanel (1995). *Analysis of Observed Chaotic Data*. Springer-Verlag, New York.
- J. R. Buchler, (1997). *Search for Low-Dimensional Chaos in Observational Data*. International School of Physics “Enrico Fermi”, Course CXXXIII. Eds. G. C. Castagnoli and A. Provenzale.
- M. Ceschia, (1998). *Comunicazione privata*.
- K. M. Cuomo and A. V. Oppenheim, (1993). *On acoustic, speech and signal processing*. Proc. Int. Conf., **3**, 137.
- I. Daubechies, (1988). *Orthonormal bases of compactly supported wavelets*. Commun. Pure Appl. Math., **16**, 901.
- D. Donoho, (1993). *Nonlinear wavelet methods for recovery of signals, densities, and spectra from indirect and noisy data*. Different Perspectives on Wavelets, Proceeding of Symposia in Applied Mathematics. I. Daubechies ed. Amer. Math. Soc., Providence, R.I., **47**, 173.
- A. M. Fraser and H. L. Swinney, (1986). *Independent coordinates for strange attractors from mutual information*. Phys. Rev. A, **33**, 1134.

- P. Grassberger, (1983), *On the fractal dimension of the Hénon attractor*. Physics Letters **97A**, 224.
- P. Grassberger and I. Procaccia, (1983). *Characterization of strange attractors*. Phys. Rev. Letters, **50**, 346.
- P. Grassberger, R. Hegger, H. Kantz, C. Schaffrath and T. Schreiber, (1993). *On noise reduction methods for chaotic data*. Chaos, **3**, 127.
- P. Grassberger, (1986). *Do climatic attractors exist?* Nature, **323**, 609.
- G. Kaiser, (1994). *A Friendly Guide to Wavelets*. Birkhäuser, Boston.
- E. J. Kostelich and T. Schreiber, (1993). *Noise reduction in chaotic time-series data: A survey of common methods*. Phys. Rev. E, **48**, 1752.
- A. Malignani, (1939). *Della temperatura atmosferica e dei modi di determinarla*. Tip. G. B. Doretti, Udine.
- S. Mallat, (1989). *A theory for multiresolution signal decomposition: The wavelet representation*. IEEE Tran. Pattern Anal. Mach. Intel., **11**, 674.
- R. Mañé, D. Rand and L. S. Young (1981), editors. *Dynamical Systems and Turbulence*. Page 230, Springer, Berlin.
- C. Nicolis and G. Nicolis (1984), *Is there a climatic attractor?* Nature, **311**, 529.
- C. Nicolis and G. Nicolis (1987), *Evidence for climatic attractors*. Nature, **326**, 523.
- A. R. Osborne, A. Provenzale, (1992). *Finite correlation dimension for stochastic systems with power-law spectra*. Physica D, **35**, 357.
- W. H. Press, S. A. Teukolsky, W. T. Vetterling and B. P. Flannery (1992). *Numerical Recipes in C The Art of Scientific Computing*. Cambridge University Press, Cambridge, MA.
- A. Provenzale, L. A. Smith, R. Vio and G. Murante (1992). *Distinguishing between low-dimensional dynamics and randomness in measured time series*. Physica D, **58**, 31.
- H. Peitgen, H. Jürgens, and D. Saupe (1992). *Chaos and Fractals New Frontiers of Science*. Springer-Verlag, New York.
- A. Rényi,(1970). *Probability Theory*. North-Holland, Amsterdam.

- M. T. Rosenstein, J. J. Collins and C. J. De Luca, (1993). *A practical method for calculating largest Lyapunov exponents from small data sets*. Physica D, **65**, 117.
- M. T. Rosenstein, J. J. Collins and C. J. De Luca, (1994). *Reconstruction expansion as a geometry-based framework for choosing proper delay times*. Physica D, **73**, 82.
- N. Saito, (1994). *Simultaneous noise suppression and signal compression using a library of orthonormal bases and the minimum description length criterion*. In: *Wavelets in Geophysics*, Foufoula-Georgiou and Kumar (eds.), Academic Press.
- T. Sauer, (1992). *A noise reduction method for signals from nonlinear system*. Physica D, **58**, 193.
- S. Sato, M. Sano and Y. Sawada, (1987). *Practical methods of measuring the generalized dimension of the largest Lyapunov exponent in high dimensional chaotic systems*. Phys. Rev. Lett., **55**, 1082.
- F. Takens, (1981). *Detecting strange attractors in turbulence*. In D. Rand and L. S. Young editors. *Dynamical Systems and Turbulence*. Page 230, Springer, Berlin.
- J. Theiler (1986). *Spurious dimension from correlation algorithms applied to limited time-series data*. Phys. Rev. A, **34**, 2427.
- J. M. T. Thompson and H. B. Stewart (1986). *Nonlinear Dynamics and Chaos*. John Wiley and Sons, Chichester.
- A. A. Tsonis and J. B. Elsner (1988), *The weather attractor over very short timescales*. Nature, **333**, 545.
- S. Venkadesan, M. C. Valsakumar, K. P. N. Murty and S. Rajasekar, (1996). *Evidence for chaos in an experimental time series from serrated plastic flow*. Phys. Rev. E, **54**, 611.